



CE-BC 15 M

Battery Charger



einhell.de

>>

>

CE-BC 15 M - DATA



Item No. 10.022.65

Technical Data

▪ Mains supply	230 V 50 Hz
▪ Charging voltage	12 V
▪ Suitable for batteries (min./max. Ah)	3 – 300 Ah
▪ Charging current max.	15 A
▪ Dust and splash guard	IP20

Logistic Data

▪ Product weight	7,0 kg
▪ Gross weight	7,65 kg
▪ Pieces per export carton	2 STK
▪ Gross weight export carton	18,5 kg
▪ Dimensions export carton	375 x 300 x mm
▪ Container quantity (20"/40"/40"HC)	1018 2146 2280 STK

Features

- Intelligent battery charger with microprocessor controller for easy and safe usage due to controlled and monitored charging cycle
- Universal battery charger for various battery types
- For gel, AGM, zero and low maintenance lead-acid batteries
- Trickle charge function for a continuously ideal charge status, especially for seasonal vehicles
- 2in1: Charging and jump starting and therefore optimal flexibility in every situation
- Winter charging mode for temperatures below 5 °C
- Recondition mode for charging deeply discharged batteries
- Electronic protection against overcharging, short-circuit, swapped poles and fully insulated battery clamps provide safe usage
- Practical handle for easy transport in workshop and garage



CE-BC 15 M - TOP FEATURES



▪ **Microprocessor controlled**

Intelligent battery charger with microprocessor controller, usable for all gel, AGM, zero and low maintenance lead-acid batteries with 12 V – for various applications.




▪ **2in1 – Charging and jump starting**

The charger is not only for charging the battery, but can also be used for discharged batteries for jump starting - thus a permanent flexibility and independence is guaranteed.



▪ **Trickle charge function**

for a continuously ideal charge status, especially for seasonal vehicles, that aren't moved in winter, like cabriolets, old-timer, motor-bikes, campers, quad bikes and lawn mowers.



▪ **Winter charging mode**

At low temperatures below 5°C there is a higher charging voltage necessary. The winter charging mode will optimise it automatically and the battery is thereby also primed for cold days.



▪ **LED Display**

LED battery voltage and charging progress display for exact indication of the charging process und status.

MARKET OVERVIEW



		Einhell CE-BC 15 M	Telwin Elements Alaska 150 Start	Noco Genius G15000
Technical Data	Mains supply	230 V 50 Hz	230 V 50 – 60 Hz	220 – 240 V 50 – 60 Hz
	Charging voltage	12 V	12 V	12 V / 24 V
	Suitable for batteries (min./max. Ah)	3 – 300 Ah	– 200 Ah	- 400 Ah
	Charging current max.	15 A	15 A	15 A
Features	Intelligent battery charger / microprocessor controller	✓	✓	✓
	Suitable for gel, AGM, zero and low maintenance lead-acid batteries	✓	✓	✓
	Trickle charge function	✓	✓	✓
	El. protection against overcharging, short-circuit, swapped poles	✓	✓	✓
	Fully insulated battery clamps	✓	X	X
	Suspension eyelet for mounting to the wall	✓	✓	✓
	Winter mode	✓	X	✓
	Ergonomic handle	✓	✓	X
2in1: Charging and jump starting	✓	✓	✓	

ASSORTMENT OVERVIEW



		Einhell CE-BC 1 M	Einhell CE-BC 2 M	Einhell CE-BC 4 M	Einhell CE-BC 6 M	Einhell CE-BC 10 M	Einhell CE-BC 15 M	Einhell CE-BC 30 M
	Item No.:	10.022.05	10.022.15	10.022.25	10.022.35	10.022.45	10.022.65	10.022.75
Technical Data	Mains supply	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz
	Charging voltage	6 V / 12 V	12 V	12 V	12 V	12 V	12 V	12 V / 24 V
	Suitable for batteries (min./max. Ah)	3 – 32 Ah -120 Ah (Trickle Charging)	3 – 60 Ah	3 – 120 Ah	3 – 150 Ah	3 – 200 Ah	3 – 300 Ah	3 – 600 Ah
	Charging current max.	1 A	2 A	4 A	6 A	10 A	15 A	15 A (24 V) / 30 A (12 V)
	Dust and splash protection	IP65	IP65	IP65	IP65	IP65	IP 20	IP 20
Features	Intelligent battery charger / microprocessor controller	✓	✓	✓	✓	✓	✓	✓
	Suitable for gel, AGM, zero and low maintenance lead-acid batteries	✓	✓	✓	✓	✓	✓	✓
	Pushbutton for selecting between 6/12 V or rather 12 V/24 V	✓	X	X	X	X	X	✓
	Trickle charge function	✓	✓	✓	✓	✓	✓	✓
	El. protection against overcharging, short-circuit, swapped poles	✓	✓	✓	✓	✓	✓	✓
	Fully insulated battery clamps	✓	✓	✓	✓	✓	✓	✓
	Suspension eyelet for mounting to the wall	✓	✓	✓	✓	✓	✓	✓
	Winter mode	X	✓	✓	✓	✓	✓	✓
	2in1: Charging and Jump starting	X	X	X	X	X	✓	✓